



h^tm

هومان تجارت ماندگار
htm - co . ir
با شما ماندگاریم

شرکت **هومان تجارت ماندگار** با هدف تأمین پایدار و تخصصی مواد اولیه مورد نیاز صنایع رنگ، رزین، پوشش، مرکب چاپ، پلاستیک و صنایع وابسته، فعالیت خود را آغاز کرده و با بهره‌گیری از دانش فنی، تیم متخصص و ارتباط مستقیم با تولیدکنندگان معتبر جهانی، جایگاه ویژه‌ای در بازار تأمین مواد اولیه صنعتی کشور یافته است. ما با تمرکز بر واردات مستقیم و ارائه محصولاتی از برندهای معتبر جهانی، تلاش می‌کنیم تا کیفیت، تنوع و قیمت رقابتی را در کنار پشتیبانی و مشاوره تخصصی به مشتریان خود ارائه دهیم.

در هومان تجارت ماندگار باور داریم توسعه‌ی صنعتی باید در **هماهنگی با طبیعت و حفظ محیط زیست** پیش رود؛ از این‌رو در انتخاب محصولات، همکاری با برندهایی را در اولویت قرار می‌دهیم که به استانداردهای زیست‌محیطی و تولید پایدار پایبند هستند.

صداقت، شفافیت، مسئولیت‌پذیری، احترام به محیط زیست و رضایت مشتری، اصول اساسی ما در مسیر تجارت ماندگار هستند.

با شما ماندگاریم

هر رنگ، نشانی از احساس،
هر پیغمنت، گامی به سوی ماندگاری است
با شما ماندگاریم

Pigments

Product Name	Properties			Application															
	Oil Absorption (gm/100)	Heat Resistance (°C)	Light Fastness (Scale 1-8)	Paint And Coating					Ink				Plastic						
				Solvent Base Industrial	Coil	Decorative Powder	Water Base Industrial	OEM	Solvent Base Ink	Textile Printing	PA Ink	Water Base Ink	NC Ink	PVC	PO	Fiber			
----ORGANIC----																			
VIOLET 1	35 - 45	140	5	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
VIOLET 3	45 - 55	150	5	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
VIOLET 19	45 - 55	280	7	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
VIOLET 23	38 - 43	200	7	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
VIOLET 27	35 - 45	160	6			●	●	●			●			●	●	●			
--INORGANIC--																			
VIOLET 15	35 - 45	280	5	●	●	●	●	●	●	●	●	●	●	●	●	●	●		

Pigments

Product Name	Properties			Application															
	Oil Absorption (gm/100)	Heat Resistance (°C)	Light Fastness (Scale 1-8)	Paint And Coating					Ink				Plastic						
				Solvent Base Industrial	Coil	Decorative Powder	Water Base Industrial	OEM	Solvent Base Ink	Textile Printing	PA Ink	Water Base Ink	NC Ink	PVC	PO	Fiber			
--INORGANIC--																			
RED 110	15 - 25	700	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
RED 101	15 - 25	700	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
RED 130	15 - 25	700	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
RED 130	15 - 25	700	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
RED TR [*] 01	15 - 25	700	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
RED TR [*] 02	15 - 25	700	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●		

* TR = TRANSPARENT

Pigments

Product Name	Properties			Application															
	Oil Absorption (gm/100)	Heat Resistance (°C)	Light Fastness (Scale 1-8)	Paint And Coating						Ink			Plastic						
				Solvent Base Industrial	Coil	Decorative Powder	Water Base Industrial	OEM	Solvent Base Ink	Textile Printing	PA Ink	Water Base Ink	NC Ink	PVC	PO	Fiber			
---ORGANIC---																			
RED 112	30 - 40	270	7	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
RED 170	35 - 45	280	7	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
RED 48:2 INK	45 - 55	200	5	●	●	●	●	●	●	●	●	●	●	●					
RED 48:2 P	45 - 55	260	6												●	●	●		
RED 48:3 2BS	45 - 55	260	6	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
RED 57.1 4BGL	45 - 55	160	6	●	●	●	●	●	●	●	●	●	●	●					
RED 57.1 BP	45 - 55	240	5	●	●	●	●	●	●						●	●	●		
RED 57.1 WB	35 - 55	160	6	●	●	●	●	●	●	●	●	●	●	●					
RED 48:4 FBL	50 - 60	180	7	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
RED 122	30 - 40	170	7	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
RED 63:1	35 - 45	180	7	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
RED 52:2	45 - 55	180	6	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
RED 53:1 INK	45 - 55	130	5	●	●	●	●	●	●	●	●	●	●	●					
RED 53:1 P	35 - 50	260	5												●	●	●		
RED 53:1 WB	45 - 55	130	5	●	●	●	●	●	●	●	●	●	●	●					
RED 254	35 - 45	300	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
RED 21	35 - 45	150	5	●	●	●	●	●	●	●	●	●	●	●	●	●	●		

Pigments

Product Name	Properties			Application											
	Oil Absorption (gm/100)	Heat Resistance (°C)	Light Fastness (Scale 1-8)	Paint And Coating					Ink			Plastic			
				Solvent Base Industrial	Coil	Decorative	Powder	Water Base Industrial	OEM	Solvent Base Ink	Textile Printing	PA Ink	Water Base Ink	NC Ink	PVC
----ORGANIC----															
BLUE 15:0	35 - 45	210	8	●	●	●									
BLUE 15:1	35 - 45	210	8	●	●	●	●	●	●	●	●				●
BLUE 15:3 G	35 - 45	210	8	●	●	●	●	●							
BLUE 15:3 B2G	40 - 50	280	8	●	●	●	●	●	●	●	●	●	●	●	●
BLUE 15:4	35 - 45	200	8						●	●	●	●	●	●	●
--INORGANIC--															
BLUE 29	35 - 45	350	8	●	●	●	●	●	●	●	●	●	●	●	●
BLUE 28	16 - 26	800	8	●	●	●	●	●	●	●	●	●	●	●	●
IRONBLUE 27	40 - 50	150	5	●	●	●	●	●	●	●	●	●	●	●	●
BLUE E	15 - 25	700	8	●	●	●	●	●	●	●	●	●	●	●	●

Pigments

Product Name	Properties			Application										
	Oil Absorption (gm/100)	Heat Resistance (°C)	Light Fastness (Scale 1-8)	Paint And Coating					Ink			Plastic		
				Solvent Base Industrial	Coil	Decorative Powder	Water Base Industrial	OEM	Solvent Base Ink	Textile Printing	PA Ink	Water Base Ink	NC Ink	PVC
----ORGANIC----														
YELLOW 12	40 - 45	180	7				●			●	●	●	●	●
YELLOW 13 INK	40 - 45	180	7	●		●		●						
YELLOW 13 T	40 - 55	180	5	●										
YELLOW 13 P	45 - 55	200	7										●	●
YELLOW 110	50 - 70	280	7	●	●	●	●	●	●	●	●	●	●	●
YELLOW 151	35 - 45	200	7	●	●	●	●	●	●	●	●	●	●	●
YELLOW 174	40 - 50	180	7	●	●	●	●	●	●	●	●	●	●	●
YELLOW 83 T	35 - 45	200	7	●	●	●	●	●	●	●	●			
YELLOW 83 PL	45 - 55	200	7										●	●
YELLOW 3	25 - 35	180	7		●	●	●	●	●	●	●	●		
--INORGANIC--														
YELLOW YU26	25 - 30	240	7	●	●	●	●	●	●	●	●	●	●	●
YELLOW YU35	25 - 30	240	7	●	●	●	●	●	●	●	●	●	●	●
YELLOW 313	15 - 25	700	8	●	●	●	●	●	●	●	●	●	●	●
YELLOW 920	25 - 30	700	7	●	●	●	●	●	●	●	●	●	●	●
YELLOW TRY01*	30 - 40	180	8	●	●	●	●	●	●	●	●	●	●	●
YELLOW TRY02*	30 - 40	180	8	●	●	●	●	●	●	●	●	●	●	●

* TR = TRANSPARENT

Pigments

Product Name	Properties			Application													
	Oil Absorption (gm/100)	Heat Resistance (°C)	Light Fastness (Scale 1-8)	Paint And Coating					Ink			Plastic					
				Solvent Base Industrial	Coil	Decorative	Powder	Water Base Industrial	OEM	Solvent Base Ink	Textile Printing	PA Ink	Water Base Ink	NC Ink	PVC	PO	Fiber
----ORGANIC---- BROWN 25 --INORGANIC--	40 - 65	290	7	●	●	●	●	●	●	●	●	●	●	●	●	●	●
BROWN 686	15 - 25	700	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Pigments

Product Name	Properties			Application													
	Oil Absorption (gm/100)	Heat Resistance (°C)	Light Fastness (Scale 1-8)	Paint And Coating					Ink			Plastic					
				Solvent Base Industrial	Coil	Decorative	Powder	Water Base Industrial	OEM	Solvent Base Ink	Textile Printing	PA Ink	Water Base Ink	NC Ink	PVC	PO	Fiber
CARBON BLACK 2410	80 - 90	400	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
CARBON BLACK 6190	80 - 90	400	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
CARBON BLACK 6260	140-160	400	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
IRONOXIDE 750	15 - 25	700	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Pigments

Product Name	Properties			Application													
	Oil Absorption (gm/100)	Heat Resistance (°C)	Light Fastness (Scale 1-8)	Paint And Coating					Ink				Plastic				
				Solvent Base Industrial	Coil	Decorative	Powder	Water Base Industrial	OEM	Solvent Base Ink	Textile Printing	PA Ink	Water Base Ink	NC Ink	PVC	PO	Fiber
----ORGANIC-- GREEN 7 --INORGANIC--	35 - 45	220	8	●	●	●	●	●	●	●	●	●	●	●	●	●	
GREEN 835	25 - 35	220	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
GREEN 5605	25 - 35	220	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Pigments

Product Name	Properties			Application													
	Oil Absorption (gm/100)	Heat Resistance (°C)	Light Fastness (Scale 1-8)	Paint And Coating					Ink				Plastic				
				Solvent Base Industrial	Coil	Decorative	Powder	Water Base Industrial	OEM	Solvent Base Ink	Textile Printing	PA Ink	Water Base Ink	NC Ink	PVC	PO	Fiber
----ORGANIC-- ORANGE 13	45 - 55	140	7	●	●	●	●	●	●	●	●	●	●	●	●	●	
ORANGE 36	35 - 45	180	7	●	●	●	●	●	●	●	●	●	●	●	●	●	●
ORANGE 38	35 - 55	220	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
--INORGANIC-- ORANGE 75	15 - 25	240	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
ORANGE 960	15 - 25	700	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Pigments

Product Name	Properties		Application													
	Oil Absorption (gm/100)	Light Fastness (Scale 1-8)	Paint And Coating					Ink			Plastic					
			Solvent Base Industrial	Coil	Decorative Powder	Water Base Industrial	OEM	Solvent Base Ink	Textile Printing	PA Ink	Water Base Ink	NC Ink	PVC	PO	Fiber	
TiO2 5566	18 - 19	8	●	●	●	●	●	●	●	●	●	●	●			
TiO2 878	18 - 19	8												●	●	●
TiO2 996	18 - 19	8	●	●	●	●	●	●	●	●	●	●	●			
TiO2 298	18 - 19	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
TiO2 822	18 - 19	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
TiO2 808	18 - 19	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Pigments

Product Name	Properties			Application													
	Oil Absorption (gm/100)	Heat Resistance (°C)	Light Fastness (Scale 1-8)	Paint And Coating					Ink			Plastic					
				Solvent Base Industrial	Coil	Decorative Powder	Water Base Industrial	OEM	Solvent Base Ink	Textile Printing	PA Ink	Water Base Ink	NC Ink	PVC	PO	Fiber	
PEARL 100	55 - 75	900	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PEARL 111	55 - 90	900	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PEARL 151	55 - 90	900	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PEARL 401	60 - 90	900	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PEARL 402	60 - 90	900	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PEARL 407	60 - 90	900	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PEARL 219	55 - 90	900	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PEARL 302	55 - 90	900	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PEARL 303	55 - 90	900	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PEARL 305	55 - 90	900	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●
PEARL 520	50 - 70	900	8	●	●	●	●	●	●	●	●	●	●	●	●	●	●

htm

هومان تجارت ماندگار

021- 91034004

htm - co . ir

با شما ماندگاریم

